






UNIVERSITY OF CALIFORNIA  
MUSEUM OF VERTEBRATE ZOOLOGY







Digitized by the Internet Archive  
in 2017 with funding from  
CLIR

<https://archive.org/details/catalogueofspeci00ston>



Stone, N.

Calif.-Nevada Boundary 1941







Stone, N.

Calif. - Nevada boundary  
July 9 - Aug. 3, 1941

Catalog of Specimens  
#720 - 886





N. Stone  
1941

1 mi. N N W Old Pt. Crook, 3400 ft., Shasta Co., Calif.

July 9

- |     |   |                                |
|-----|---|--------------------------------|
| 720 | ♂ | <i>Sceloporus occidentalis</i> |
| 721 | ♂ | " "                            |
| 722 | ♂ | " "                            |
| 723 | ♀ | " "                            |
| 724 | ♀ | " "                            |

July 10

- |     |  |                     |
|-----|--|---------------------|
| 725 |  | <i>Hyla regilla</i> |
| 726 |  | " "                 |

728 *Sceloporus occidentalis*

729 *Psaltiriparus*

730 "

731 *Melospiza m.*

singing

732 " "

July 11

733 *Sceloporus occidentalis*

Barrel Sprs. 5200 ft.; 9 1/2 mi. E and 3 mi. N of Pt. Bidwell,

Washoe Co., Nev.

July 12

734 *Bufo boreas*

735 " "

736 *Hyla regilla*

737 " "

738 " "

739 " "

740 " "

741 *Phainopepla*





1941  
N. Stone

Barrel Sprs., 5700 ft., 9 1/2 mi. E and 3 mi. N Ft. Bidwell,  
Washoe Co., Nev.

1742 *Eutamias minimus* <sup>July 12</sup>

743 *Bufo boreas* <sup>July 13</sup>

744 " "

745 *Melospiza m.*

1 1/2 mi. WSW Mc Kusick Pk., 6000 ft., Plumas Co., Calif.

746 ♂? *Dryobates* <sup>July 15</sup>

coll. by D.H. Johnson

747 *Sceloporus gracilis* <sup>July 16</sup>

748 " "

749 " "

750 " "

751 " "

752 " "

753 " *occidentalis* (discarded)

5 mi. N Gerlach, 3900 ft., Washoe Co., Nev.

754 *Orotaphytus wislizenii* <sup>July 17</sup>

755 " "

756 " "

757 " "

758 " "

759 " "

760 " }

761 " }





M. Stone  
1941

5 mi. N. Gerlach, 3900 ft., Washoe Co., Nev.

July 17

762 *Cnemidophorus tesselatus*

763 " "

764 " "

Soldier Meadows, 4600 ft., Humboldt Co., Nev.

July 18

765 ♀ *Sceloporus*

766 ♂ "

767 *Crotaphytus wislizenii*

768 *Cnemidophorus tesselatus*

769 " "

770 " "

771 " "

772 " "

773 " "

774 " "

775 " "

776 " "

777 " "

778 " "

779 " "

780 " "

781 " "

782 " "

783 " "

784 *Phrynosoma platyrhinos*





W. Stone  
1941

Soldier Meadows, 4600 ft., Humboldt Co., Nev.

July 18

- |     |                                |                       |
|-----|--------------------------------|-----------------------|
| 785 | <i>Agelaius phoeniceus</i>     | coll. by D.H. Johnson |
| 786 | <i>Scaphiopus</i>              |                       |
| 787 | <i>Uta stansburiana</i>        |                       |
| 788 | <i>Sceloporus occidentalis</i> |                       |
| 789 | "                              | "                     |
| 790 | "                              | "                     |
| 791 | "                              | "                     |
| 792 | "                              | "                     |
| 793 | "                              | "                     |
| 794 | "                              | "                     |
| 795 | "                              | "                     |
| 796 | "                              | "                     |

July 19

- |     |                                |                 |
|-----|--------------------------------|-----------------|
| 797 | <i>Phrynosoma platyrhinos</i>  |                 |
| 798 | "                              | "               |
| 799 | "                              | "               |
| 800 | "                              | "               |
| 801 | <i>Crotaphytus wislizenii</i>  |                 |
| 802 | "                              | <i>collaris</i> |
| 803 | <i>Uta stansburiana</i>        |                 |
| 804 | "                              | "               |
| 805 | "                              | "               |
| 806 | <i>Sceloporus occidentalis</i> |                 |



W. Stone  
1941

Soldier meadows, 4600 ft., Humboldt Co., Nev.

July 19

807 *Sceloporus occidentalis*

808 " "

809 " "

810 " "

811 " "

812 " "

813 " "

814 " "

815 " "

816 " "

July 20

817 *Crotaphytus wislizenii*

33 mi. S of Gerlach, 3950 ft., Washoe Co., Nev.

July 21

820a *Callisaurus draconoides*

10 mi. N and 2 mi. W of Gerlach, 7000 ft., Washoe Co., Nev.

July 21

818 *Cnemidophorus tesselatus*

819 *Asio wilsonianus* coll. by A. Loukashkin

820 ♀ *Reithrodontomys megalotis* 134-59-17-14.5; 8 gm.

821 ♂ *Perognathus parvus* 195-15-13-8; 20 gm.

822 ♂ *Dipodomys merriami* 247-145-38-12; 45.1 gm.

823 ♀ " " 26-133-36-13; 40.9 gm.





N. Stone  
1941

10 mi N and 2 mi W of Gerlach, 4000 ft., Washoe Co., Nev.

July 21

824 ♂ *Peromyscus maniculatus* 162-71-20-16-20.5 gm  
6 mi. NE Virginia City, 6000 ft., Storey Co., Nev.

July 24

825 ♂ *Neotoma lepida* 240-99-30-17; 85 gm.  
826 ♀ *Dipodomys leucogenys* 258-154-42-13; 60 gm.  
827 ♀ *Eutamias minimus* 176-80-29-14; 31 gm.  
828 ♂ " " 180-84-28-13; 34 gm.  
829 ♀ " " 190-89-29-14 33.5 gm.  
830 ♂ " " 184-85-29-14; 34.5 gm.  
831 ♂ " " 175-85-29-13; 29 gm.  
832 ♀ *Peromyscus truei* 166-83-22-25; 19 gm.  
833 ♂ " *maniculatus* 162-75-20-17; 25 gm.  
834 ♀ *Reithrodontomys megalotis* 152-73-18-15; 12 gm.  
835 ♀ " " 135-68-17-17; 9.5 gm.  
836 ♂ " " 135-68-17-14; 8 gm.

July 25

837 ♂ *Perognathus parvus* 175-94-23-9; 22 gm.  
838 ♂ *Dipodomys leucogenys* 295-180-45-14; 77 gm.  
839 ♂ " " 263-156-42-14; 59.5 gm.  
840 ♂ *Peromyscus maniculatus* 154-76-21-19; 26 gm.  
841 ♀ *"* 151-69-20-18; 22 gm.  
842 ♂ " 156-69-20-17; 23.5 gm.

Middle Cr., 6000 ft., White Mts., Esmeralda Co., Nev.

July 27

843 ♀ *Eutamias minimus* 171-75-28-15; 34.5 gm.





N. Stone  
1941

July 28 <sup>W</sup> West side Stonewall Mt, 6000 ft., Nye Co., Nev.

844 ♂ *Eutamias panamintinus* 195-83-31-17; 48 gm  
845 ♀ " " Coll. by D. Johnson  
216-87-32-16; 56.5 gm.

July 31 9 mi. W + 5 1/2 mi. S Searchlight, 4300 ft., Clark Co., Nev.

846 ♂ *Onychomys* 130-46-19-?; 20 gm.  
847 ♂ *Dipodomys mojavensis* 272-166-44-14; 50 gm.  
848 ♂ " " 280-162-42-14; 56.5 gm.  
849 ♀ no emb. " " 301-181-46-15; 74 gm.  
850 ♀ no emb. " " 292-172-42-14; 70 gm.  
851 ♂ " " 301-180-46-16; 87 gm.  
852 ♀ no emb. " " 310-186-46-15; 81 gm.  
853 ♀ no emb. " " 281-170-44-12?; 62.5 gm.  
854 ♀ no emb. " " Skull only 277-171-43-13; 54 gm.  
855 ♀ no emb. " " Skull only 291-176-43-15; 67.5 gm.  
856 ♀ no emb. " " Skull only 291-169-45-14; 69.5 gm.

857 *Callisaurus draconoides*

Aug. 1 West side Colorado R. 500 ft. 6 mi. N Calif. line, Clark Co., Nev.

858 ♂ *Perognathus formosus* 179-101-22-11; 21  
859 ♀ no emb. " " 191-107-24-11; 61  
860 ♂ " " 186-107-25-8; 24.5  
861 ♂ " " 196-108-24-11; 18  
862 ♀ no emb. " " 204-120-25-11; 18.5 gm.  
863 ♀ no emb. " " 194-111-23-11; 16.5  
864 ♀ no emb. " " 184-106-24-10; 15.5  
865 ♂ " " 208-122-26-11; 24  
866 ♂ *Dipodomys merriami* 253-150-38-14; 42  
867 ♀ 2 emb. " " 252-150-37-13; 46 gm.  
868 *eluta*



Stone  
1941

Aug 2 west side Colorado R, 450 ft., 1 mi. N Calif. line, Clark Co, Nev.

869	♂	<i>Perognathus formosus</i>	190-115-24-11; 17 gm
870	♂	"	185-109-24-10; 15 gm.
871	♀ no emb.	"	187-107-26-10; 18 gm.
872	♀ no emb.	"	176-102-24-8; 16.5 gm
873	♂	"	186-116-24-10; 16.5 gm
874	♂	"	194-113-25-11; 16 gm.
875	♀ no emb.	"	184-164-23-10; 17 gm.

Aug. 3 12 mi. S + 5 mi. E Searchlight, 2600 ft., Clark Co, Nev.

876	♀	<i>Pipistrellus hesperus</i>	coll. by W. Dalgicet 3 mi. SW of Searchlight, 2400 ft. 73-31-10-12-5; 3.5 gm
877	♂	<i>Perognathus longimembris</i>	144-80-20-6; 9 gm
878	♂	"	139-79-20-6; 8 gm
879	♀ no emb.	"	145-79-20-6; 8.5 gm.
880		<i>Onychomys torridus</i> discarded	153-50-20-18; 31 gm
881		Elta	
882		<i>Cnemidophorus</i>	

Aug. 4 2 mi E Gorman, 3506 ft., Los Angeles Co., Calif.

883	♀ no emb.	<i>Dipodomys agilis</i>	288-177-42-16; 56.5 gm
884	♀	<i>Reithrodontomys megalotis</i>	151-79-16-14; 14 gm.
885	♂	"	146-72-16-14; 11.5 gm
886	♂	"	135-65-16-14; 10 gm.





2 mi. E Gorman.

1 ♀ Dipso

Reithro 2 ♂ 1 ♀

1 Perogn. c. ♀

Buro. m. 3 ♂ 2 ♀

foot high grass with some bare by  
open spots, meadows (level) bordered by  
willows with a small stream running  
along open ground. Clumps of reed &  
scattered night shade-like plants  
Clumps of



Stone, N.

Calif. - Nevada boundary  
July 9 - Aug. 3, 1941

Itinerary



N. Stone  
1941

Itinerary

July 9

<sup>old</sup>  
1 mi. NNE <sup>old</sup> Ft. Crook, 3400 ft., Shasta Co.,  
Calif.

Camped here as a member of party including Walter W. Dalquest, Dr. C. R. Hall, Hubert H. Hall, William J. Hall, Dr. R. H. Johnson, Anatole S. Loukashkin and I me. We left Berkeley about 1:30 P.M., July 8. and the two autos were driven via Vallejo, Fairfield, Williams, Redding, Burney to a point about 2 mi. E of Burney where we slept several hundred ft. S of the Road. We ate supper at Redding. We drove on to Fall River Mills, <sup>this morning</sup> where we ate breakfast. We then drove NW and camped about 50 yds. N of Fall River, 1 mi. NNE <sup>old</sup> Ft. Crook, 3400', Shasta Co., Calif. Camp was set up by 11 A.M. Old Ft. Crook is now represented by a marker which is  $2.5\frac{1}{8}$  mi. N and  $2\frac{3}{8}$  mi. E of the junction of the Pitt and Fall Rivers.

July 12

<sup>5700 ft.</sup>  
Bell Spr., 10 mi. E <sup>Ft.</sup> Fort Bidwell, Washoe Co.,  
Nev.

We broke camp, <sup>& left old Ft. Crook</sup> yesterday afternoon and reached our present camp about 9:30 P.M. We came via McArthur,





N. Stone  
1941

July 12

Bell Spr., 10 mi. E Ft. Bidwell, 5700 ft.,  
Washoe Co., Nev.

Bieber, Adin, Canby, Alturas,  
Cedarville, Lake City, Fort Bidwell.  
We saw a Crane, Killdeer, Mt. Plover?  
Sparrow Hawk, Red-tail, Calif. Quail,  
Mourning Dove, White Hawk, Poor Will,  
Lewis & Downey Woodpeckers, Stellar  
& Calif. Jays, <sup>ash-throated Flycatcher</sup> Eastern Kingbirds,  
Robins, Bluebirds, Meadow Larks,  
Red-winged & Brewer Black Birds,  
Lark Sparrow. There is a pair of  
Barn Swallows nesting in the shed  
& a large no. of Chipping Sparrows  
around our camp. Mr. Sankashkin  
just ~~p~~ brot in a couple of Sage  
Hens & some Pigeon Rabbits which  
I will undoubtedly be asked to cook.

July 14

5 mi. E Litchfield, 4600 ft., Lassen Co., Calif.

We camped here yesterday evening. The  
soil is white sand and is the dominant  
plant is Artemisia tridentata.

1 1/2 mi. WSW McKesick Pk., 6000 ft., Plumas Co., Calif.

We reached this camp, <sup>about</sup> 1:30 this P.M.. The  
dominant vegetation consists of Yellow Pine  
Juniperus occidentalis & Artemisia tridentata.  
At the base of a large rocky outcrop  
~~are~~ Mt. Mahogany. There are also some



M. Stone  
1941

July 14

1½ m WSW McKesuck Pk, 6000 ft., Plumas Co, Calif.  
Ribes & Prunus plants. There are many little herbaceous plants and several kinds of grasses. Along the canyon bottom are isolated pools of  $H_2O$  and several springs. Many large patches of willow are growing here.

This ~~evening~~<sup>afternoon</sup> we had a thunder storm with hail as well as rain.

July 15

I ~~climbed~~ ~~McK~~ set out 10 rat traps this afternoon and shot several Sceloporus gracilis. The white urine stains of Neotoma cinereus were abundant. Coming back I was caught in a thunder storm.

July 16

I picked up my traps this morning. I caught one young Neotoma cinereus, 3 Peromyscus maniculatus. I also shot some more Sceloporus and a Callospermophilus. We packed our camp during a thunder storm this afternoon and reached our present camp this evening: -  
5 mi N Gerlack, 3950 ft., Washoe Co., Nev.

July 17

After breakfast this morning we packed up and while waiting for Mr. Hall to return from Gerlack, we shot lizards. Late this afternoon we arrived <sup>at</sup> Soldier Meadows, 4600 ft., Humboldt Co., Nev.



N. Stone  
1941

July 21

12 mi N & 2 mi E Gerlach, 4000 ft, Washoe Co., Nev.

Left Soldier Meadows & yesterday afternoon driving back over Granite & Smoke Cr. deserts, then N to this place. We are camped at the S end of alkali Flat. There is a small growth of "Russian Olive Trees" where we are camped and a spring between these and the road. Between camp and Alkali Flat proper is a  $\frac{1}{2}$  mi. strip of sand dunes covered with

As we reached our camp site some owls (Asio wilsonianus) flew out from the clump of trees & 4 were shot by A. Soukashkin, H. Hall & W. Dalquest. -----! After preparing supper I managed to set out a few mouse traps in which I caught 1 Perognathus parvus, 1 Reithrodontomys megalotis, 2 Dipodomys merriami and the ever present Peromyscus maniculatus

July 22

3 mi S Mt. Rose, 8500 ft., Washoe Co., Nev.

We left our last camp early this morning and came to this locality via Reno where Dr. Hall, a Soukashkin & I met G. Bartholomew who is joining the party. At 33 mi. S of Gerlach I shot a gridiron-tailed lizard

July 23

This morning I hiked up to summit of Mt. Rose and then W<sup>d S</sup> along the ridges overlooking Lake Tahoe and then E to camp. I flushed





N. Stone  
1941

3 mi. S Mt. Rose, 8500 ft., Washoe Co., Nev.

July 23

2 grouse, saw several chipmunks in rocky ledges bordered by Pinus albicaulis, many gopher ropes on the ridges some of which led into the patches of unmelted snow. I also saw several Callospermophilus & 1 Citellus beldingi on the high ridges as well as marmot droppings.

The camp is situated in the Canadian Life zone. The dominant plants are Pinus contorta and

Tsuga mertensiana starts a little above camp with Pinus monticola, generally higher ~~are~~ Pinus flexilis & P. albicaulis. Populus tremuloides occurs in clumps usually in the bottoms of canyons. There are many little mt. meadows filled with <sup>arctostaphylos</sup> grass & numerous wild flowers. Other kinds of wild flowers grow up to & apparently above timber line.

We are leaving this afternoon for Virginia City.



N. Store  
1941

July 24

6 mi. NE Virginia City, 6000 ft., Storey Co., Nev.

I set out 70 traps last night on sandy or rocky soil in Pinon, juniper, Sagebrush association. There are also a few Burshia bushes scattered about. I caught the following mammals:

- 1 Neotoma lepida, 1 ♂
- 5 Citellus minimus, 3 ♂, 2 ♀
- 1 Dipodomys leucogenys, 1 ♂
- 3 Reithrodontomys megalotis, 1 ♂, 2 ♀
- 31 Peromyscus maniculatus, 18 ♂, 13 ♀
- 1 Peromyscus truei 1 ♀

total = 42      traps = 70      % catch = 60

July 25

I set out 62 traps last night  $\frac{2}{3}$  of which were set in the middle of the road. In these traps I caught less than half my total catch of 20 Peromyscus maniculatus and one Dipodomys leucogenys. The other traps set yielded one Dipodomys leucogenys, 2 Perognathus parvus and the remaining Peromyscus maniculatus. The sex ratio was:

<u>Peromyscus maniculatus</u>	11 ♂	9 ♀
<u>Perognathus parvus</u>	1 ♂	1 ♀
<u>Dipodomys leucogenys</u>	2 ♂	

July 27

~~We left~~

Middle Cr., 8000 ft., White Mts., Esmeralda Co., Nev.

We left the above camp the afternoon of the 25th, coming by way of Virginia City,



R. Stone  
1941

July 27

Middle Cr., 8000 ft., White Mts., Esmeralda Co., Nev.  
Silver City, Carson City, Minden, Wellington,  
Yerington, Schurz, Hawthorne, Mina,  
Cobdale, Arlemonit. We stopped to eat at  
Yerington and camped about 1 mi. S of  
Hawthorne. Here I set out 5 traps and  
caught 1 Dipodomys & 1 Perognathus  
longimembris = 40% catch! a series of  
Thunder storms passed over during the  
nite & it rained most of the time.  
my sleeping bag ~~not~~ is not waterproof so  
both of us became soaked. We repacked  
& arrived at the present locality the noon  
of the 26th. We are camped at the head  
of a narrow <sup>canyon</sup> valley running generally  
E & W. Bounding it on the N, S & W are  
high mts., those on the W are still covered  
with snow. The mts. are apparently made  
up of all sizes of granite - from huge  
outcrops to the fine gruss. Pinus monophylla  
is the conifer on the lower slopes & Pinus  
flexilis ~~is~~ takes its place on the upper  
slopes. Much of the slopes <sup>is</sup> ~~was~~ covered with  
shrubs and <sup>a few</sup> herbaceous flowers, with grass  
very scarce. Part of the shubbery <sup>is</sup> ~~was~~ made up  
of Sagebrush & Ephedra & ? Holodiscus discolor?  
A few prickly pear (1' high) cacti are scattered over the slope.  
Mt. Mahogany is plentiful in some places.  
The bottom of the canyon which ~~was~~ is





N. Stone  
1941

July 27

Middle Cr., 8000 ft., White Mts., Esmeralda Co., Nev.  
covered with sagebrush & grass is being  
grazed by young cows. In the damper  
places & along the stream wild rose is  
thick with a few gooseberries (Ribes sp.).  
Along the stream is willow (Salix sp.),  
Cottonwood (Populus trichocarpa) &  
Betula fontinalis.

The afternoon of the 26th I hunted deer.  
I found a fresh track which I followed  
from 3:30 PM to 6:30 PM. It led along the  
side of & top of the range bordering the  
N side of the canyon, finally crossing  
over to the range to the N. Only 2 other  
tracks were noted & they both might have  
been made by the same deer. The  
absence of feces is very striking. The  
deer I followed apparently kept close  
to the top of the ridges. I saw 4 dog  
chipmunks, heard 1 dog more, saw 1 Callospermophilus  
on top of the ridge &  
3 Cottontails. Of the birds the Rock Wrens  
& Clark Nutcrackers <sup>were</sup> especially  
obvious. The Clark Nutcrackers were  
especially abundant in the Pinon Juniper,  
as many as 15 being seen at one time.  
My sleeping bag had not dried during the day.  
This morning, July 27, I washed my shirt.



N. Stone  
1941

July 27

Middle Cr., 8000 ft., White Mts., Esmeralda Co., Nev.  
clothes, took a complete bath, trimmed my mustache and went hunting. I shot 2 Eutamias minimus, one young ♂ & one older ♀. I heard a Song Sparrow but did not get one. We left camp in the afternoon and drove to the 1st canyon to the S where we investigated the "lay of the land". From here we drove back toward Coaldale. A car ahead of us, which was occupied by 2 boys, hit the soft sand in the middle of the road & turned over several times. The boys, unlike the car, did not seem to be seriously damaged. We took them into Tonopah where we had supper. We then drove south-westerly to 13 mi. N Goldfield, 5100 ft., Esmeralda Co., Nev. where we put out mouse traps & slept. The country is flat, the soil sandy & slightly rocky. The cover consists of a sparse growth of several unidentified shrubs & a small prickly pear cactus.

July 28

3 1/2 mi. E & 1 mi S Grapevine Pk, 6700 ft., Nye Co., Nev.

The 46 traps I put out last night at 13 mi. N Goldfield, 5100 ft., Esmeralda Co., Nev. contained:

- 1 Dipodomys
- 2 Onychomys eremicus
- 10 Perognathus longimembris

After breakfast we left for the Grapevine Mts., via Goldfield, Stonewall Mt., Springdale and ~~Butte~~



Stone  
1941

July 28. 3½ mi. E & 1 mi. S Grapevine Pk., 6700 ft., Nye Co., Nev.  
at Stonewall mt., R. Johnson & I each shot one  
Eutamias paraminthinus. Stonewall mt.  
is steep and rocky sloped with large projecting  
rocks. The vegetation consists of a moderately  
thick stand of Pinus monophylla & Artemisia  
tridentata, with some Burshia & Ephedra  
and less Ribes. The most noticeable birds  
were Pinon jays, White-throated Swifts,  
Linnetts, and on the lower slopes Shrikes,  
Sage Sparrow, Desert Sparrow. There were  
tracks & feces of coyotes, sheep & deer, and feces  
of coyotes horses or burrows.

July 29 We reached camp early in the evening and  
W. Dalquest and I looked for deer. We saw fresh  
tracks and feces but no deer.

July 29 We are camped in a small canyon running  
in a general E W direction. The vegetation  
consists of a moderately thick to a scattered growth  
of Pinus monophylla, Burshia glandulosa and  
Artemisia tridentata interspaced with  
herbaceous plants and grass. There are also  
a few Ribes plants. The soil is rocky with large  
rock outcrops. The water supply is apparently <sup>based on</sup> ~~due to~~  
precipitation entirely. There is a spring about  
½ mi to the W on the other side of the slope.

R. Johnson & W. Dalquest shot at a deer this  
morning. I hunted till noon but did not see any





M. Stone  
1941

July 29

3 1/2 mi. E and 1 mi. S Grapevine Pk., 6700 ft., Nye Co., Nev.

G. Bartholomew is hunting rock & D. Johnson has gone up to spend the night at the spring.

Aug. 1

west side Colorado R., 500 ft., 6 mi. N Calif. line, Clark Co., Nev.

We left the above locality by about 9:30 A.M. driving via Beatty, Indian Spgs., Las Vegas, Searchlight to 4 mi. W + 5 1/2 mi. S Searchlight, 4300 ft., Clark Co., Nev. The terrain was flat at our camp with hills several 100 yds. to the W. The soil except in the washes was gravelly. The most noticeable plants were Yucca brevifolia, Yucca mohavensis, Opuntia sp?, Cholla sp, & several unidentified shrubs & small clumps of grass. In the washes were Mesquite, Catsclaw also. I set out 80 traps mostly along the edge of a wash. I caught

Dipodomys merriami 13 ♀ 5 ♂ 2 ?

" mohavensis 8 ♀ 6 ♂

Peromyscus maniculatus 4 ♀ 1 ♂

" eremicus 1 ♂

Onychomys torridus 1 ♂

Perognathus formosus 1 ♂

total

42 mice / 80 traps.

We left camp by moon & reached our present camp via Searchlight, crossing into Calif. & back into Nev. by the "old gov't road." W. Dalquest & D. Johnson drove to Hiko Spgs. for bats but were unsuccessful, and G. Bartholomew & I put out



M. Stone  
1941

Aug. 1

west side Colorado R., 500 ft., 6 mi. N Calif. line, Clark Co., Nev.

mouse traps. I put out 58 traps & caught:

Perognathus formosus      15♀    15♂    2♀

Dipodomys merriami      7♀    3♂

We are camped in riparian growth.

The dominant plants <sup>are</sup> Salix, Screwbean, Catsclaw. There is a fairly heavy growth of a 2-4' woody annual & some grass.

Out on the desert to the W of camp, Creosote Bush is the dominant plant.

Aug. 2

west side Colorado R., 450 ft., 1 mi. N Calif. line, Clark Co.,

Nev.

Last night G. Bartholemew and I drove to this locality to set out traps. On the way I shot 1 Dipodomys merriami & 1 Bob-Will. As I was setting out my traps I set one down on a Rattlesnake - we were both surprised. He retreated into a Creosote Bush rattling his rattles furiously. I watched him <sup>(I couldn't see him tho!)</sup> for 35 min. & not once did he cease his rattling. At times he would slow down but when I moved he stared furiously again. Leaving my trap sack I went back to camp & got a shotgun, flashlight & Bartholemew. I pulled him into sight with the shotgun & shot him in the neck with .22 shot shell. Then I set out the rest of my 100 traps. I set my



N. Stone  
1941

Aug. 2

west side Colorado R., 450 ft., 1 mi. N Calif. line, Clark Co., Nev.  
traps ~~on~~ on fine sand, in the open & under  
Creosote Bushes. I trapped in a large wash as  
the only fine sand in the vicinity was  
there. I collected

<u>Dipodomys merriami</u>	13	♀	25	♂	2?
---------------------------	----	---	----	---	----

<u>Perognathus formosus</u>	4	♀	7	♂	1?
-----------------------------	---	---	---	---	----

Here I heard ~~also~~ a screech owl with an  
exceedingly long trill.

Aug. 3

























